

70-469 Exam Pass 100% OR Money Back Download 70-469 New Exam Dumps From Braindump2go Instantly! (51-60)

New Released Braindump2go Microsoft 70-469 Dumps PDF - Questions and Answers Updated with Microsoft Official Exam Center! Visit Braindump2go and download our 70-469 Exam Questions Now, Pass 70-469 100% at your first time! Vendor: MicrosoftExam Code: 70-469Exam Name: Recertification for MCSE: Data PlatformKeywords: 70-469 Exam Dumps,70-469 Practice Tests,70-469 Practice Exams,70-469 Exam Questions,70-469 PDF,70-469 VCE Free,70-469 Book,70-469 E-Book,70-469 Study Guide,70-469 Braindump,70-469 Prep Guide

Compared Before Buying Microsoft 70-469 PDF & VCE!		
Pass4sure	Braindump2go	Test King
281 Q&As - Practice	100% Pass OR Money Back 292 Q&As - Real Questions	281 Q&As - Practice
\$124.99	\$99.99	\$171.32
No Discount	Coupon Code: BDN2014	No Discount

QUESTION 51 You need to implement a solution that meets the data recovery requirements. You update each stored procedure to accept a parameter named @transactionID. What should you add next to the beginning of each stored procedure? A. SAVE TRANSACTION WITH MARK @transactionID B. ROLLBACK DISTRIBUTED TRANSACTION @transactionID C. BEGIN TRANSACTION WITH MARK @transactionID D. COMMIT TRANSACTION @transactionID Answer: C Case Study 6 - Coho Winery (Question 52 - Question 65) Overview You are a database developer for a company named Coho Winery. Coho Winery has an office in London. Coho Winery has an application that is used to process purchase orders from customers and retailers in 10 different countries. The application uses a web front end to process orders from the Internet. The web front end adds orders to a database named Sales. The Sales database is managed by a server named Server1. An empty copy of the Sales database is created on a server named Server2 in the London office. The database will store sales data for customers in Europe. A new version of the application is being developed. In the new version, orders will be placed either by using the existing web front end or by loading an XML file. Once a week, you receive two files that contain the purchase orders and the order details of orders from offshore facilities. You run the usp_ImportOrders stored procedure and the usp_ImportOrderDetails stored procedure to copy the offshore facility orders to the Sales database. The Sales database contains a table named Orders that has more than 20 million rows. Database Definitions Database and Tables The following scripts are used to create the database and its tables:

```
01 CREATE DATABASE Sales;
02 GO
03 USE Sales;
04 GO
05 CREATE TABLE Products
06 (
07     ProductID int IDENTITY(1,1) NOT NULL,
08     Name nvarchar(100) NOT NULL,
09     UnitPrice decimal(18,2) NOT NULL,
10     Discontinued bit NOT NULL DEFAULT 0,
11     CONSTRAINT PK_Products PRIMARY KEY (ProductID)
12 );
13 GO
14
15 CREATE TABLE Customers
16 (
17     CustomerID int IDENTITY(1,1) NOT NULL,
18     Name nvarchar(200) NOT NULL,
19     Email nvarchar(200) NOT NULL,
20     Phone nvarchar(10) NOT NULL,
21     Address1 nvarchar(200) NOT NULL,
22     Address2 nvarchar(200) NULL,
23     City nvarchar(200) NOT NULL,
24     State char(2) NOT NULL,
25     ZIP char(5) NOT NULL,
26     CONSTRAINT PK_Customers PRIMARY KEY (CustomerID)
27 );
28 GO
29
30 CREATE TABLE Orders
31 (
32     OrderID int IDENTITY(1,1) NOT NULL,
33     CustomerID int NOT NULL,
34     OrderDate datetime NOT NULL DEFAULT GETDATE(),
35     DeliverDate datetime NOT NULL,
36     ShipDate datetime NOT NULL,
37     Amount decimal(18,2) NOT NULL,
38     CONSTRAINT PK_Orders PRIMARY KEY (OrderID)
39 );
40 GO
41
42 ALTER TABLE Orders
43 ADD CONSTRAINT FK_Orders_Customers
44 FOREIGN KEY (CustomerID)
45 REFERENCES Customers (CustomerID);
46 GO
47
48 CREATE TABLE OrderDetails
49 (
50     OrderID int NOT NULL,
51     LineItem int NOT NULL,
52     ProductID int NOT NULL,
53     Quantity int NOT NULL,
54     UnitPrice decimal(18,2) NOT NULL,
55     Total decimal(18,2) NOT NULL,
56     Discount decimal(18,2) NULL,
57     CONSTRAINT PK_OrderDetails PRIMARY KEY (OrderID, LineItem)
58 );
59 GO
60
61 ALTER TABLE OrderDetails
62 ADD CONSTRAINT FK_OrderDetails_Orders
63 FOREIGN KEY (OrderID)
64 REFERENCES Orders (OrderID);
65 GO
66
67 ALTER TABLE OrderDetails
68 ADD CONSTRAINT FK_OrderDetails_Products
69 FOREIGN KEY (ProductID)
70 REFERENCES Products (ProductID);
71 GO
```

Stored Procedures The following are the definitions of the stored procedures used in the database:

```

50 CREATE PROCEDURE usp_GetOrders
51 AS
52     SELECT OrderID, DeliveryDate, Amount
53     FROM Orders
54     WHERE ShipDate IS NULL
55     ORDER BY DeliveryDate;
56 GO
57
58 CREATE PROCEDURE usp_GetOrdersByProduct
59     @productID int
60
61 AS
62     SELECT OrderID, LineItem, Quantity,
63     UnitPrice, Total, Discount
64     FROM OrderDetails
65
66     WHERE ProductID = @productID;
67 GO
68
69 CREATE PROCEDURE usp_ImportOrders
70 AS
71     BULK INSERT Orders
72     FROM 'f:\orders\orders.tbl'
73     WITH
74     (
75         FIELDTERMINATOR = '|',
76         ROWTERMINATOR = '\n'
77     );
78 GO
79
79 CREATE PROCEDURE usp_ImportOrderDetails
80     @firstRow int
81 AS
82     BULK INSERT OrderDetails
83     FROM 'f:\orders\details.tbl'
84     WITH
85     (
86
87         FIRSTROW = @firstRow,
88         FIELDTERMINATOR = '|',
89         ROWTERMINATOR = '\n'
90     );
91 GO

```

IndexesThe following indexes are part of the Sales database:

```

01 CREATE INDEX IX_Orders_ShipDate
02     ON Orders(Shipdate)
03
04     INCLUDE (CustomerID, OrderDate, Amount);
05 GO

```

Data ImportThe XML files will contain the list of items in each order. Each retailer will have its own XML schema and will be able to use different types of encoding. Each XML schema will use a default namespace. The default namespaces are not guaranteed to be unique. For testing purposes, you receive an XSD file from a customer. For testing purposes, you also create an XML schema collection named ValidateOrder. ValidateOrder contains schemas for all of the retailers. The new version of the application must validate the XML file, parse the data, and store the parsed data along with the original XML file in the database. The original XML file must be stored without losing any data.

Reported IssuesPerformance IssuesYou notice the following for the usp_GetOrdersAndItems stored procedure: The stored procedure takes a long time to complete. Less than two percent of the rows in the Orders table are retrieved by usp_GetOrdersAndItems. A full table scan runs when the stored procedure executes. The amount of disk space used and the amount of time required to insert data are very high. You notice that the usp_GetOrdersByProduct stored procedure uses a table scan when the stored procedure is executed.

Page Split IssuesUpdates to the Orders table cause excessive page splits on the IX_Orders_ShipDate index.

RequirementsSite RequirementsUsers located in North America must be able to view sales data for customers in North America and Europe in a single report. The solution must minimize the amount of traffic over the WAN link between the offices.

Bulk Insert RequirementsThe usp_ImportOrderDetails stored procedure takes more than 10 minutes to complete. The stored procedure runs daily. If the stored procedure fails, you must ensure that the stored procedure restarts from the last successful set of rows.

Index Monitoring RequirementsThe usage of indexes in the Sales database must be monitored continuously. Monitored data must be maintained if a server restarts. The monitoring solution must minimize the usage of memory resources and processing resources.

QUESTION 52You need to implement a solution that meets the site requirements. What should

you implement? A. A non-indexed view on Server1B. A non-indexed view on Server2C. A distributed view on Server1D. A distributed view on Server2 Answer: C QUESTION 53You need to modify usp_GetOrdersAndItems to ensure that an order is NOT retrieved by usp_GetOrdersAndItems while the order is being updated.What should you add to usp_GetOrdersAndItems? A. Add SET TRANSACTION ISOLATION LEVEL SERIALIZABLE to line 03.B. Add SET TRANSACTION ISOLATION LEVEL SNAPSHOT to line 03.C. Add (UPDLOCK) to the end of line 06.D. Add (READPAST) to the end of line 06. Answer: D QUESTION 54You need to implement a solution that addresses the performance issues of the usp_GetOrdersByProduct stored procedure.Which statement should you execute?

- A. CREATE INDEX IX_OrderDetails_ByProduct
ON OrderDetails (ProductID)
INCLUDE (OrderID, LineItem, UnitPrice, Total, Discount)
- B. CREATE INDEX IX_OrderDetails_ByProduct
ON OrderDetails (ProductID)
INCLUDE (LineItem, Quantity, UnitPrice, Total, Discount)
- C. CREATE INDEX IX_OrderDetails_ByProduct
ON OrderDetails (ProductID)
- D. CREATE INDEX IX_OrderDetails_ByProduct
ON OrderDetails (ProductID)
INCLUDE (LineItem, Quantity, UnitPrice, Discount)

A. Option AB. Option BC. Option CD. Option D Answer: C QUESTION 55You need to implement a solution that addresses the bulk insert requirements.What should you add to line 08 in usp_ImportOrderDetails? A. LASTROW=0.B. BATCHSIZE=0.C. BATCHSIZE=1000.D. LASTROW = 1000. Answer: C QUESTION 56You discover that the usp_GetOrdersAndItems stored procedure takes a long time to complete while usp_AddOrder or usp_AddXMLOrder run.You need to ensure that usp_GetOrdersAndItems completes as quickly as possible.What should you do? (Each correct answer presents part of the solution. Choose all that apply.) A. Set the isolation level of the usp_GetOrdersAndItems stored procedure to SERIALIZABLE.B. Execute the ALTER DATABASE Sales SET ALLOW_SNAPSHOT_ISOLATION ON statement.C. Set the isolation level of the usp_AddOrder stored procedure to SERIALIZABLE.D. Set the isolation level of the usp_GetOrdersAndItems stored procedure to SNAPSHOT.E. Set the isolation level of the usp_AddOrder stored procedure to SNAPSHOT.F. Execute the ALTER DATABASE Sales SET ALLOW_SNAPSHOT_ISOLATION OFF statement. Answer: BD QUESTION 57You need to modify the Orders table to store the XML data used by the retailers.Which statement should you execute? A. ALTER OrdersADD originalOrder XML (ValidateOrder);B. ALTER OrdersADD originalOrder XML;C. ALTER OrdersADD originalOrder varchar(max);D. ALTER OrdersADD originalOrder varbinary(max); Answer: D QUESTION 58You plan to create a stored procedure that inserts data from an XML file to the OrderDetails table. The following is the signature of the stored procedure: CREATE PROCEDURE usp_InsertItems

CREATE PROCEDURE usp_InsertItems

The following is the XSD file used to create the ValidateOrder schema collection:

```
<?xml version="1.0" encoding="UTF-16"?>
<xsd:schema
  xmlns:xsd="http://www.w3.org/2001/XMLSchema" >
  <xsd:element name="root">
    <xsd:complexType mixed="true">
      <xsd:sequence>
        <xsd:element name="Product"
          minOccurs="1" maxOccurs="unbounded">
          <xsd:complexType mixed="true">
            <xsd:sequence>
              <xsd:element name="UnitPrice" type="xsd:decimal"
                minOccurs="1" maxOccurs="1" />
              <xsd:element name="Quantity" type="xsd:integer"
                minOccurs="1" maxOccurs="1" />
            </xsd:sequence>
            <xsd:attribute name="lineItem"
              type="xsd:integer" use="required"/>
            <xsd:attribute name="productID"
              type="xsd:integer" use="required"/>
          </xsd:complexType>
        </xsd:element>
      </xsd:sequence>
      <xsd:attribute name="numberItems"
        type="xsd:integer" use="required"/>
    </xsd:complexType>
  </xsd:element>
</xsd:schema>
```

You develop a code segment that retrieves the number of items and loops through each item. Each time the loop runs, a variable

named @itemNumber is incremented. You need to develop a code segment that retrieves the product ID of each item number in the loop. Which code segment should you develop? A. SET @productID = @items.value'/Root/Product/productID', int) B. SET @productID = @items.value'/Root/Product['+ @itemNumber+ ']/@productID', int) C. SET @productID = @items.value'/Root/Product['+ @itemNumber+ ']/productID', int) D. SET @productID = @items.value'/Root/Product/@productID', int) Answer: B

QUESTION 59 You need to ensure that a new execution plan is used by usp_GetOrdersByProduct each time the stored procedure runs. What should you do? A. Execute sp_help 'usp_GetOrdersByProduct'. B. Execute sp_recompile 'usp_GetOrdersByProduct'. C. Add WITH RECOMPILE to line 03 in usp_GetOrdersByProduct. D. Add WITH (FORCESEEK) to line 07 in usp_GetOrdersByProduct. Answer: C

Explanation: [http://msdn.microsoft.com/en-us/librAry/ms190439\(v=sql.90\).aspx](http://msdn.microsoft.com/en-us/librAry/ms190439(v=sql.90).aspx)

QUESTION 60 You need to implement a solution that addresses the page split issues. Which statement should you execute? A. ALTER INDEX IX_Orders_ShipDate ON Orders REBUILD WITH (PAD_INDEX=OFF, DROP_EXISTING = ON); B. ALTER INDEX IX_Orders_ShipDate ON Orders REBUILD WITH (FILLFACTOR=50, DROP_EXISTING = ON); C. ALTER INDEX IX_Orders_ShipDate ON Orders REBUILD WITH (FILLFACTOR = 0, DROP_EXISTING = ON); D. ALTER INDEX IX_Orders_ShipDate ON Orders REBUILD WITH (PAD_INDEX=ON, DROP_EXISTING = ON); Answer: B

Guaranteed 100% Microsoft 70-469 Exam Pass OR Full Money Back!

Braindump2go Provides you the latest 70-469 Dumps PDF & VCE for Instant Download!

Compared Before Buying Microsoft 70-469 PDF		
Pass4sure	Braindump2go	
	100% Pass OR Money Back	
281 Q&As - Practice	292 Q&As - Real Questions	281 Q&As
\$124.99	\$99.99	\$171.32
No Discount	Coupon Code: BDNT2014	No Discount

<http://www.braindump2go.com/70-469.html>