Braindump2go Provides 2015 Latest 70-448 VCE Exam Dumps Study Materials 100% Real Questions (151-160)

Quick and Effective Microsoft 70-448 Exam Preparation Options - Braindump2go new released 70-448 Exam Dumps Questions! Microsoft Official 70-448 relevant practice tests are available for Instant downloading at Braindump2go! PDF and VCE Formates, easy to use and install! 100% Success Achievement Guaranteed! Exam Code: 70-448Exam Name: Microsoft SQL Server 2008, Business Intelligence Development and MaintenanceCertification Provider: MicrosoftCorresponding Certifications: MCITP: Business Intelligence Developer 2008, MCSA, MCSA: SQL Server 2008, MCTS, MCTS: Microsoft SQL Server 2008, Business Intelligence Development and MaintenanceKeywords: 70-448 Exam Dumps,70-448 Practice Tests,70-448 Practice Exams,70-448 Exam Questions,70-448 PDF,70-448 VCE Free,70-448 Book,70-448 E-Book,70-448 Study Guide,70-448 Braindump,70-448 Prep Guide Commared Before Buying Microsoft 70,448 PDF & VCF1

Compared Before Buying Microsoft 70-446 FDF & VCE.					
Braindump2go	Test King				
100% Pass OR Money Back					
352 Q&As - Real Questions	332 Q&As - Practice				
\$99.99	\$124.99				
Coupon Code: BDNT2014	No Discount				
	Braindump2go 100% Pass OR Money Back 352 Q&As – Real Questions \$99.99				

QUESTION 151You are a database developer and you have about two years experience in creating business intelligence (BI) solutions by using SQL Server 2008. Now you are employed in a company which is named NaproStar and work as a developer of a SQL Server 2008 Integration Services (SSIS) for the company. To meet the business requirement, you use the SSIS to develop a package and use your local development environment to test the package. Then the package is deployed to the file system in the production environment. After the deployment, the users notice that the package contains no connection strings, which means the package gets a failure of the deployment. Now you are assigned a task to make sure that the package can be viewed and executed by changing the protection level of the package. So of the protection levels of the package, which one would be used? A. EncryptAllWithPassword level would be usedB. ServerStorage level would be usedC. ServerChange level would be usedD. DontSaveSensitive level would be usedE. EncryptAllWithUserKey level would be used Answer: A QUESTION 152You are a database developer and you have about two years experience in creating business intelligence (BI) solutions by using SQL Server 2008. Now you are employed in a company which is named NaproStar and work as a developer of a SQL Server 2008 Reporting Services (SSRS) for the company. To meet the business requirement, you develop a SSRS report with a parameter named @ProductPriceRangeID.Then you select a specific region to set the value of @ProductPriceRangeID in the report.In order to stop modifying the value of @ProductPriceRangeID, you have to configure the report.So of the methods below, which one would be used to configure the report? A. Set the Internal property to configure the reportB. Remove the default values to configure the reportC. Clear the Hidden property to configure the reportD. Clear the Prompt value to configure the report.E. Set the Hidden property to configure the report Answer: AExplanation: Report parameters are defined globally for the report. Report parameters are created automatically if the report query includes parameters, or they can be created manually. After a report parameter is created, you must set properties that identify it and that control how it is used in the report. Report parameters are automatically created for query parameters when a dataset query is saved, or you can create a report parameter manually. After you create a report parameter, you may need to adjust the default values for report parameter properties to get the functionality you want. For example, you may need to change the data type, create a dataset to provide an available values list, create a dataset to for default values, or set whether the values can be blank or null.Hidden and Internal ParametersYou can set options that control parameter visibility in the published report. Setting the Hidden and Internal options provides different levels of visibility. You can hide the parameter on the parameter input area of the published report, yet set values for it on a report URL or in a subscription definition. If you set a parameter to Internal, it is not exposed in any way except in the report definition. An internal parameter must have a default value, which can be null if the Allow null value option has been selected. QUESTION 153You are a database developer and you have about two years experience in creating business intelligence (BI) solutions by using SQL Server 2008. Now you are employed in a company which is named NaproStar and work as a developer of a SQL Server 2008 Reporting Services (SSRS) report for the company. A parameter named Kind is contained in your developed report and you use it to filter a list of Sales.Besides, the list uses a dataset, which includes the queries of SELECT p.SalesID, p.Place, p.ListName, FROM SalesAmount.Sales AS p WHERE p.Kind = @Kind.To meet the business requirements, the report parameter is modified to allow multiple values. Now you are asked to modify the report to help search for multiple Kind values and minimize the development effort. What action should be performed to achieve the goal above? A. The query should be modified by using the IN operator instead of the = operatorB. The query should be implemented in a stored procedure that uses dynamic SQL for executionC. The query should be modified in a table-valued user-defined function. D. The query should be implemented in a viewE. The query should be implemented in a table-valued user-defined function. Answer: A QUESTION 154You are a database developer and you have about two years experience in creating business Intelligence (BI) by using SQL Server 2008. Now you are employed in a company named NaproStar which uses SQL Server 2008. You work as the technical support.Now you are in charge of a SQL Server 2008 Analysis Services (SSAS) instance. Now you get an e-mail from your company CIO, in the e-mail he wants you to run the Usage-Based Optimization Wizard. You have to enable query logging. What action should you perform? A. The QueryLogSampling server property should be set to 10B. The LogDir server property should be set to a valid path.C. The QueryLogConnectionString server property should be set to a valid connection string. D. The AllowedBrowsingFolders server property should be set to include the folder from the LogDir setting. Answer: C Explanation: TABLE 4-4 QueryLog Properties

PROPERTY	DESCRIPTION		
CreateQueryLogTable	When set to True and if the server account has sufficient privileges, the server will create the log table if it does not already exist.		
QueryLogComectionString	A valid connection string to a SOL Server database; the		
QueryLogSampling	The frequency for query sampling. By default, every tenth query is logged.		
QueryLogTableName	The name of the table in a SQL Server database that will capture the query statistics. The default table name is OlapQueryLog.		

After you set the OueryLogConnectionString property, the server will attempt to establish a connection by using the connection string you specified in the QueryLogConnectionString property. If the connection fails, the SSAS service ignores the error. Monitor the Windows event log for error messages if no queries are logged in the query log. You want to run the usage-Based optimization Wizard to produce an aggregation design based on the actual server usage. you have a SQL Server database named SSAS Logging. you want to confi gure the server properties to save every fi fth query to a table named QueryLog inside the SSAS Logging database. Which server properties do you need to change? you need to change all of the four LogQueryLog properties. Set the LogOuery-LogCreateLogTable property to True so that the server can create the table.Set LogOueryLogOueryLogConnectionString property to specify a valid connection string to the SSAS_Logging database. Change the LogQueryLogQueryLogSampling property to 5 to sample every fi fth query. Last, change the LogQueryLogQueryLogTablename property to QueryLog. QUESTION 155You are a database developer and you have about two years experience in creating business intelligence (BI) solutions by using SQL Server 2008.Now you are employed in a company which is named NaproStar and work as a developer of a SQL Server 2008 Reporting Services (SSRS) for the company. You use SSRS to design a report. A Windows Forms application is distributed to remote users and it contains the report, but the report server can not be accessed by these remote users. Now you are asked to make sure that the report can be rendered by the application correctly. Of the following methods, which one would be used to accomplish this task? A. The ReportViewer control should be used along with the RenderStream propertyB. The ReportViewer control should be used along with the LocalReport propertyC. The ReportViewer control should be used along with the RemoteReport propertyD. The Render method of the Reporting Services Simple Object Access Protocol (SOAP) API should be used.E. The RenderStream method of the Reporting Services Simple Object Access Protocol (SOAP) API should be Used Answer: B QUESTION 156You are a database developer and you have about two years experience in creating business intelligence (BI) solutions by using SQL Server 2008. Now you are employed in a company which is named NaproStar and work as a developer of a SQL Server 2008 Reporting Services (SSRS) for the company. You use SSRS to design a report with a dataset contained and a Table data region used. Besides, a column named FirstPicture is contained in the dataset.Now you get an order from your company CIO, according to his requirement, you need to make sure that the second character in the FirstPicture column makes group for the report items. Which option below would be chosen? A. =Second(Fields!FirstPicture.Value) in the Group properties dialog box should be usedB. =Fields!FirstPicture.Value.Substring(0,1) in the Group properties dialog box should be usedC. =Second(Fields!FirstPicture) in the Group properties dialog box should be used.D. = Fields! FirstPicture. Value in the Group properties dialog box should be used Answer: B QUESTION 157You are a database developer and you have about two years experience in creating business intelligence (BI) solutions by using SQL Server 2008. Now you are employed in a company which is named NaproStar and work as a developer

of a SQL Server 2008 Reporting Services (SSRS) for the company. You use SSRS to create a report with a table contained. Besides, the table contains alternate columns.Now you get an order from your company CIO, according to his requirement, you have to make sure the alternate columns have a light blue background. So of the following code segments, which one would be used for each text box? A. =iif(CountColumns() / 2, " lightblue ", "White") would be used for each text box.B. =iif(CountColumns() Mod 2, " lightblue ", "White") would be used for each text boxC. =iif(ColumnNumber(Nothing) / 2, " lightblue ", "White") would be used for each text boxD. =iif(ColumnNumber(Nothing) Mod 2, " lightblue ", "White") would be used for each text box. Answer: D Explanation: IIf (expr, truepart, falsepart) All three parameters are required: expr is the expression that is to be evaluated. truepart defines what the IIf function returns if the evaluation of expr returns true. falsepart defines what the IIf function returns if the evaluation of expr returns false. The MOD function can be used to divide numbers in Excel. Unlike regular division, however, the MOD function only gives you the remainder as an answer. The syntax for the MOD function is:= MOD (Number, Divisor) QUESTION 158You are a database developer and you have about two years experience in creating business intelligence (BI) solutions by using SQL Server 2008. Now you are employed in a company which is named NaproStar and work as a developer of a SQL Server 2008 Reporting Services (SSRS) for the company. To meet the business requirements, you use SSRS to develop a production report with a table contained. Now you get an order from your company CIO, according to his requirement, when users click on a field in the table, a SSRS technology should be executed to open a new report for them. Which SSRS technology should be used to achieve this goal? A. Tablix Data Region should be used to achieve this goalB. Drillthrough action should be used to achieve this goalC. Interactive Sorting should be used to achieve this goalD. Interactivereport Data should be used to achieve this goalE. Subreport should be used to achieve this goal Answer: B QUESTION 159You are a database developer and you have about two years experience in creating business intelligence (BI) solutions by using SQL Server 2008.Now you are employed in a company which is named NaproStar and work as a developer of a SQL Server 2008 Reporting Services (SSRS) solution for the company. Then you add a report with a query parameter and a single dataset to the solution. Now you get an order from your company CIO, according to his requirement, you need to make sure that the report can be executed with no user interaction from the Report Manager. What action should you perform to achieve this goal? A. From the dataset, you should have available values configured for the parameter.B. You should have the default value configured for the parameter based on an expressionC. You should have the parameter data configured to refresh whenever the parameter is refreshed.D. You should have the default value configured for the report.E. You should use snapshot execution to configure the report. Answer: B OUESTION 160You are a database developer and you have about two years experience in creating business intelligence (BI) solutions by using SQL Server 2008. Now you are employed in a company which is named NaproStar and work as a developer of a SQL Server 2008 Reporting Services (SSRS) solution for the company. You use the solution to create a report, and then write the code segment in the report that is shown as the following:Private Shared Function GetMFromMeters(ByVal MetersPrice As Decimal) As Decimal If IsNothing (MetersPrice) ThenReturn NothingElseReturn MetersPrice * 1.78End IfEnd FunctionHowever, when you compile code segment, you will get errors.Now you get an order from your company CIO, according to his requirement, not only you should get the call of the GetMFromMeters function from other reports, but also you should have the code segment compiled without any errors. So what action should be performed to accomplish the tasks above? A. The function should be declared from Private Shared to Public SharedB. Microsoft Visual Basic .NET should be used to create a custom assembly and then have the function declared as Public SharedC. The Public keyword should be removed from the function definitionD. The Private keyword should be removed from the function definitionE. The Shared keyword should be removed from the function definition Answer: B Braindump2go Regular Updates of Microsoft 70-448 Preparation Materials Exam Dumps, with Accurate Answers, Keeps the Members One Step Ahead in the Real 70-448 Exam. Field Experts with more than 10 Years Experience in Certification Field work with us. **Compared Before Buyin**

-			_

Pass4sure	B	
	1009	
332 Q&As - Practice	352 Q&	
\$125.99	\$99.99	
No Discount	Coupo	

http://www.braindump2go.com/70-448.html