

[FREEBrindump2go 70-515 Training Materia Download (61-70)

MICROSOFT NEWS: 70-515 Exam Questions has been Updated Today! Get Latest 70-515 VCE and 70-515 PDF Instantly!
Welcome to Download the Newest Brindump2go 70-515 VCE&70-515 PDF Dumps:

<http://www.brindump2go.com/70-515.html> (299 Q&As) 2015 New Updated 70-515 Exam Dumps Questions and Answers are all from Microsoft Official Exam Center! Some new questions added into this new released 70-515 Dumps! Download 70-515 Exam Dumps Full Version Now and Pass one time! Exam Code: 70-515Exam Name: TS: Web Applications Development with Microsoft .NET Framework 4Certification Provider: MicrosoftCorresponding Certifications: MCPD, MCPD: Web Developer 4, MCTS, MCTS: Microsoft .NET Framework 4, Web Applications70-515 Dumps PDF,70-515 VCE,70-515 eBook,70-515 Microsoft Certification,70-515 Latest Dumps,70-515 Practice Test,70-515 Book,70-515 Dumps Free,70-515 Exam Dump,70-515 Exam Preparation,70-515 Brindumps,70-515 Brindump PDF,70-515 Practice Exam,70-515 Preparation Guide,70-515 eBook PDF

TS: Web Appl
Framework 4



Questions and Answer
Q&As

Updated: Dec 22, 2015

\$429.99 \$99.99

PDF DEMO

CHECK OUT

QUESTION 61You create a Web page that contains drop-down menus that are defined by using div tags in the following code.

```
<div class="dropdown-menu"><div class="menu-title">Menu One</div><div class="menu-items" style="display:none;"><div><a href="#">Item One</a></div><div><a href="#">Item Two</a></div></div></div><div class="dropdown-menu"><div class="menu-title">Menu Two</div><div class="menu-items" style="display:none;"><div><a href="#">Item Three</a></div><div><a href="#">Item Four</a></div></div></div>
```

You need to write a JavaScript function that will enable the drop-down menus to activate when the user positions the mouse over the menu title.Which code segment should you use? A.

\$.("dropdown-menu").hover(function () {\$.("menu-items").slideDown(100);},function () {\$.("menu-items").slideUp(100);});B. \$.("dropdown-menu").hover(function () {\$.("menu-items", this).slideDown(100);},function () {\$.("menu-items", this).slideUp(100);});C. \$.("dropdown-menu").hover(function () {\$(this).slideDown(100);},function () {\$(this).slideUp(100);});D. \$.("dropdown-menu").hover(function () {\$(this.menu-title).slideDown(100);},function () {\$(this.menu-title).slideUp(100);});

Answer: B QUESTION 62You are implementing an ASP.NET application that makes extensive use of JavaScript libraries.Not all pages use all scripts, and some scripts depend on other scripts.When these libraries load sequentially, some of your pages load too slowly.You need to use the ASP.NET Ajax Library Script Loader to load these scripts in parallel.Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.) A. In your site's master page, add a call to Sys.loader.defineScripts to define each of the scripts that are used in the site.B. In your site's master page, add a call to Sys.loader.registerScript to define each of the scripts that are used in the site.C. In each page that uses scripts, add a call to Sys.get for each script that is needed in that page.D. In each page that uses scripts, add a call to Sys.require for each script that is needed in that page. Answer: AD QUESTION 63You create a Web page that contains the following image element.You need to write a JavaScript function that will dynamically change which image is displayed.Which code segment should you use? A. function changeImage() {myImage.src = "image2.png";}B. function changeImage() {document.getElementById("myImage").src = "image2.png";}C. function changeImage() {getElementById("myImage").src = "image2.png";}D. function changeImage() {window.getElementById("myImage").src = "image2.png";} Answer: B QUESTION 64A Web page includes the HTML shown in the following code segment.Check out the FAQ on Contoso's web site for more information: FAQ.HomeYou need to write a JavaScript function that will

dynamically format in boldface all of the hyperlinks in the ref span. Which code segment should you use? A.

`$("#ref").filter("a[href]").bold();` B. `$("#ref").filter("a").css("bold");` C. `$("#a").css({fontWeight:"bold"});` D. `$("#ref a[href]).css({fontWeight:"bold"});` Answer: D

QUESTION 65 You create a Web page that contains the following div. `<div id="target"></div>` You have a JavaScript array named `imageurls` that contains a list of image URLs. You need to write a JavaScript function that will insert images from the URLs into `target`. Which code segment should you use? A.

`$(imageurls).each(function(i,url){$("#<img/>",url).append("#target");});` B. `$(imageurls).each(function(i,url){$("#target") += $("#<img/>").attr("src",url);});` C. `$.each(imageurls,function(i,url){$("#<img/>").attr("src",url).appendTo("#target");});` D. `$.each(imageurls,function(i,url){$("#target").append("<img/>").src=url;});` Answer: C

QUESTION 66 You create a Web page that contains the following code. `<script type="text/javascript">var lastId = 0;</script><div class="File">Choose a file to upload:<input id="File0" name="File0" type="file" /></div><input id="AddFile" type="button" value="Add a File" /><input id="Submit" type="submit" value="Upload" />` You need to provide the following implementation. - Each time the `AddFile` button is clicked, a new `div` element is created. - The new `div` element is appended after the other file upload `div` elements and before the `AddFile` span. - Each new element has a unique identifier. Which code segment should you use? A.

`$("#AddFile").click(function () {var id = "File" + ++lastId;var item = $(".File:first").clone(true);$("#input:file", item).attr({ id: id, name: id });item.insertBefore("#AddFile");});` B. `$("#AddFile").click(function () {var id = "File" + ++lastId;$(".File:first").clone(true).attr({ id: id, name: id }).`

`insertBefore("#AddFile");});` C. `$("#AddFile").click(function () {var id = "File" + ++lastId;});` D. `$("#AddFile").click(function () {var id = "File" + ++lastId;var item = $(".File:first").clone(true);$("#input:file", item).attr({ id: id, name: id });`

`item.insertAfter("input[type=file]");});` Answer: A

QUESTION 67 You are building an ASP.NET control. The control displays data by using a table element with a class attribute value of `Results`. The control should expose a client-side event named `onrowselected` that fires when a check box in a table row is selected. You need to implement this client-side event. What should you do? A.

`$('#.Results input:checked').onrowselected = function (e, sender) {...};` B. `$('#.Results input:checked').bind('onrowselected', function (e, sender) {...});` C. `$('#.Results').bind('onrowselected', function (e, sender) {...}).click(function (e) {if`

`$(e.target).is('input:checked')) {$('#.Results').trigger('onrowselected', [$(e.target)]);});` D. `$('#.Results').onrowselected($.proxy($(this).find('input:checked'), function (e, sender) {...}));` Answer: C

QUESTION 68 You create a Web page that contains the following code. (Line numbers are included for reference only.)

```
01 <script>
02 function changeColor(c) {
03 message.style.color = c;
04 }
05 </script>
07 <p id="message">Welcome!</p>
08 <ul id="color">
09 <li>Black</li>
10 <li>Red</li>
11 </ul>
```

You need to ensure that when the user clicks an item in the list, the text color of the "Welcome!" message will change. Which declaration should you use? A. `<ul id="color"><li onclick="changeColor(this.innerText);">Black</li><li onclick="changeColor(this.innerText);">Red</li></ul>` B. `<ul id="color"><li onclick="changeColor(this.style.color);">Black</li><li onclick="changeColor(this.style.color);">Red</li></ul>` C. `<ul id="color"><li><a`

`onfocus="changeColor(this.innerText);">Red</a></li><li><a onfocus="changeColor(this.innerText);">Black</a></li></ul>` D. `<ul id="color"><li><a onfocus="changeColor(this.innerText);">Red</a></li><li><a`

`onfocus="changeColor(this.innerText);">Black</a></li></ul>` Answer: A

QUESTION 69 You are implementing an ASP.NET AJAX page. You add the following control to the page. `<asp:UpdatePanel ID="pn1" runat="server" UpdateMode="Conditional"><ContentTemplate> ... </ContentTemplate></asp:UpdatePanel>` You need to update the contents of the `UpdatePanel` without causing a full reload of the page. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.) A.

Add the following control before the `UpdatePanel`. `<asp:Timer ID="Timer1" OnLoad="Timer1_Tick" runat="server" Interval="3000" />` B. Add the following control within the `UpdatePanel`. `<asp:Timer ID="Timer1" OnLoad="Timer1_Tick" runat="server" Interval="3000" />` C. Add an `AsyncPostBackTrigger` that references `Timer1`. D. Add a `PostBackTrigger` that references `Timer1`. Answer: BC

QUESTION 70 You are implementing an ASP.NET AJAX page. You add two `UpdatePanel` controls named `pn1A` and `pn1B`. `pn1A` contains an `UpdatePanel` control named `pn1AInner` in its content template. You have the following requirements. - Update panels `pn1A` and `pn1B` must refresh their content only when controls that they contain cause a postback. - Update panel `pn1AInner` must refresh its content when controls in either `pn1A` or `pn1B` or `pn1AInner` cause a postback. You need to configure the panels to meet the requirements. What should you do? A. Set the `UpdateMode` of `pn1A` and `pn1B` to `Conditional`. Set the `UpdateMode` of `pn1AInner` to `Always`. B. Set the `UpdateMode` of `pn1A` and `pn1B` to `Conditional`. Set the `UpdateMode` of `pn1AInner` to `Conditional`, and add `AsyncPostBackTrigger` elements to its `Triggers` element for every control in `pn1A`. C. Set the `UpdateMode` of `pn1A` and `pn1B` to `Always`. Set the `UpdateMode` of `pn1AInner` to `Conditional`. D. Set the `UpdateMode` of `pn1A` and `pn1B` to `Always`. Set the `UpdateMode` of `pn1AInner` to `Always`, and add `AsyncPostBackTrigger` elements to its `Triggers` element for every control in `pn1B`. Answer: A

Instant Download Braindump2go New Released Microsoft 70-515 Exam Dumps PDF & VCE!
Enjoy 1 year Free Update! 100% Exam Pass Guaranteed Or Full Money Back!

TS: Web Applications Development with Microsoft .NET Framework 4: 70-515



Questions and Answers : 299
Q&As

Updated: Dec 22, 2015

~~\$129.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

Product Description Exam Number/Code: 70-515

Exam Number/Code: 70-515

"TS: Web Applications Development with Microsoft .NET Framework 4", also known as 70-515 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 299 Q&As to your 70-515 Exam preparation. In the 70-515 exam resources, you will cover every field and category in Microsoft MCPD helping to ready you for your successful Microsoft Certification.

Free Demo Download

Braindump2go offers free demo for 70-515 exam (TS: Web Applications Development with Microsoft .NET Framework 4). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

☒ Printable PDF ☒ Premium VCE + VCE Simulator

FREE DOWNLOAD: NEW UPDATED 70-515 PDF Dumps & 70-515 VCE Dumps from Braindump2go:
<http://www.braindump2go.com/70-515.html> (299 Q&As)