

[September-2016-NEWMicrosoft 70-534 Dumps VCE Guarantee 70-534 Exam 100% Success[NQ87-NQ91

2016/09 New 70-534: Architecting Microsoft Azure Solutions Exam Questions Updated Today! Instant Download 70-534 Exam Dumps (PDF & VCE) 166Q&As from Braindump2go.com Today!100% Real Exam Questions! 100% Exam Pass Guaranteed!

1. |2016/09 New 70-534 Exam Dumps (PDF & VCE) 166Q&As Download: <http://www.braindump2go.com/70-534.html> 2. |2016/09 New 70-534 Exam Questions & Answers:

<https://drive.google.com/folderview?id=0B75b5xYLjSSNfk01MGYzRmpvT1BUWUFIZTlaMWdqZms2N1EtVvVzVFo5VzJ4TDV2cERGeWc&usp=sharing> QUESTION 87You administer an Azure Storage account named contostorage. The account has a blob container to store image files. A user reports being unable to access an image file. You need to ensure that anonymous users can successfully read image files from the container. Which log entry should you use to verify access?

```
1.0;2014-06-19T01:33:54.0926521;getBlob;AnonymousSuccess;201;197;54;anonymous;contostorage;contostorage;blob;"https://contostorage.blob.core.windows.net/images/00001.jpg";/"contostorage/images/00001.jpg";a200e85-1c8b-46d9-918e-f13d8c0538e0;0;192.100.0.102;14362;2014-02-14;460;23;225;0;23;"DrPO6i1F00SCsmhf+3/Am=";"DrPO6i1F00SCsmhf+3/Am=";"Quote;b015975AA45E6A8Quote;"Thursday, 19-Jun-14 01:33:53 GMT;;"uk-storage/4.0.30319.34014;Win32NT 6.3.9600.0";;"f6e81a-e4cb-4195-b3cf-8376c7120f68"
```

```
1.0;2014-06-19T01:33:54.0926521;getBlobProperties;AnonymousSuccess;201;197;54;anonymous;contostorage;contostorage;blob;"https://contostorage.blob.core.windows.net/images/00001.jpg";/"contostorage/images/00001.jpg";a200e85-1c8b-46d9-918e-f13d8c0538e0;0;192.100.0.102;14362;2014-02-14;460;23;225;0;23;"DrPO6i1F00SCsmhf+3/Am=";"DrPO6i1F00SCsmhf+3/Am=";"Quote;b015975AA45E6A8Quote;"Thursday, 19-Jun-14 01:33:53 GMT;;"uk-storage/4.0.1 (.NET CLR 4.0.30319.34014;Win32NT 6.3.9600.0);;"f6e81a-e4cb-4195-b3cf-8376c7120f68"
```

```
1.0;2014-06-19T01:33:54.0926521;getBlob;Success;201;197;54;authenticated;contostorage;contostorage;blob;"https://contostorage.blob.core.windows.net/images/00001.jpg";/"contostorage/images/00001.jpg";a200e85-1c8b-46d9-918e-f13d8c0538e0;0;192.100.0.102;14362;2014-02-14;460;23;225;0;23;"DrPO6i1F00SCsmhf+3/Am=";"DrPO6i1F00SCsmhf+3/Am=";"Quote;b015975AA45E6A8Quote;"Thursday, 19-Jun-14 01:33:53 GMT;;"uk-storage/4.0.1 (.NET CLR 4.0.30319.34014;Win32NT 6.3.9600.0);;"f6e81a-e4cb-4195-b3cf-8376c7120f68"
```

```
1.0;2014-06-19T01:33:54.0926521;getBlobProperties;Success;201;197;54;authenticated;contostorage;contostorage;blob;"https://contostorage.blob.core.windows.net/images/00001.jpg";/"contostorage/images/00001.jpg";a200e85-1c8b-46d9-918e-f13d8c0538e0;0;192.100.0.102;14362;2014-02-14;460;23;225;0;23;"DrPO6i1F00SCsmhf+3/Am=";"DrPO6i1F00SCsmhf+3/Am=";"Quote;b015975AA45E6A8Quote;"Thursday, 19-Jun-14 01:33:53 GMT;;"uk-storage/4.0.1 (.NET CLR 4.0.30319.34014;Win32NT 6.3.9600.0);;"f6e81a-e4cb-4195-b3cf-8376c7120f68"
```

A. Option AB. Option BC. Option CD. Option D Answer: A Explanation: Check for GetBlob and for AnonymousSuccess.

Example: Get Blob AnonymousSuccess:1.0;2011-07-

28T18:52:40.9241789Z;GetBlob;AnonymousSuccess;200;18;10;anonymous;;sally;blob;"htt

p://sally.blob.core.windows.net/thumbnails/lake.jpg?timeout=30000";/"sally/thumbnails/lake.jpg

";a84aa705-8a85-48c5-b064-b43bd22979c3;0;123.100.2.10;2009-09-19;252;0;265;100;0;;"0x8CE1B6EA95033D5";Thursday,

28-Jul-11 18:52:40 GMT;;;"7/28/2011 6:52:40 PM ba98eb12-700b-4d53-9230-33a3330571fc" Incorrect: Not C: Check for

AnonymousSuccess not Access. Not B, not D: Check for GetBlob not GetBlobProperties

<http://blogs.msdn.com/b/windowsazurestorage/archive/2011/08/03/windows-azure-storage-logging-using-logs-to-track-storage-requests.aspx> QUESTION 88

You manage a software-as-a-service application named SaasApp1 that provides user management features in a multi-directory environment. You plan to offer SaasApp1 to other organizations that use Azure Active Directory. You need to ensure that SaasApp1 can access directory objects. What should you do? A. Configure the Federation Metadata URLB. Register SaasApp1 as a native client application.C. Register SaasApp1 as a web application.D. Configure the Graph API. Answer: D

Explanation: The Azure Active Directory Graph API provides programmatic access to Azure AD through REST API endpoints.

Applications can use the Graph API to perform create, read, update, and delete (CRUD) operations on directory data and objects.

For example, the Graph API supports the following common operations for a user object: / Create a new user in a directory / Get a user's detailed properties, such as their groups / Update a user's properties, such as their location and phone number, or change their password / Check a user's group membership for role-based access / Disable a user's account or delete it entirely

<http://msdn.microsoft.com/en-us/library/azure/hh974476.aspx> QUESTION 89

Drag and Drop Question You plan to deploy a cloud service named contosoapp that has a web role named contosoweb and a worker role named contosoimagepurge. You need to ensure the service meets the following requirements:- Contosoweb can be accessed over the Internet by using http. - Contosoimagepurge

can only be accessed through tcp port 5001 from contosoweb.- Contosoimagepurge cannot be accessed directly over the Internet.

Which configuration should you use? To answer, drag the appropriate configuration setting to the correct location in the service configuration file. Each configuration setting may be used once, more than once, or not at all. You may need to drag the split bar

between panes or scroll to view content.



Answer:



QUESTION 90Your company is launching a public website that allows users to stream videos. You upload multiple video files to an Azure storage container. You need to give anonymous users read access to all of the video files in the storage container. What should you do? A. Edit each blob's metadata and set the access policy to Public Blob. B. Edit the container metadata and set the access policy to Public Container. C. Move the files into a container sub-directory and set the directory access level to Public Blob. D. Edit the container metadata and set the access policy to Public Blob. Answer: C
Explanation: By default, the container is private and can be accessed only by the account owner. To allow public read access to the blobs in the container, but not the container properties and metadata, use the "Public Blob" option. To allow full public read access for the container and blobs, use the "Public Container" option.

QUESTION 91Drag and Drop QuestionYour development team has created a new solution that is deployed in a virtual network named fabDevVNet. Your testing team wants to begin testing the solution in a second Azure subscription. You need to create a virtual network named fabTestVNet that is identical to fabDevVNet. You want to achieve this goal by using the least amount of administrative effort. Which three steps should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Action	Answer Area
In the Management Portal, rename the virtual network to fabTestVNet in the testing subscription.	
In the development subscription, import the network configuration.	
In the testing subscription, import the network configuration.	
In the testing subscription, export the network configuration.	
Create a virtual network by using the Management Portal in the testing subscription.	
In the network configuration file, set the name attribute of the VirtualNetworkSite to fabTestVNet.	
In the testing subscription, export the network configuration.	

A watermark 'Braindump2go.com' is overlaid on the image.

Answer:

Action	Answer Area
In the Management Portal, rename the virtual network to fabTestVNet in the testing subscription.	
In the development subscription, import the network configuration.	
In the testing subscription, import the network configuration.	
In the testing subscription, export the network configuration.	
Create a virtual network by using the Management Portal in the testing subscription.	
In the network configuration file, set the name attribute of the VirtualNetworkSite to fabTestVNet.	
In the testing subscription, export the network configuration.	

The correct sequence of actions is highlighted with green boxes, and the answer area is highlighted with a red box. A watermark 'Braindump2go.com' is present.

!!!RECOMMEND!!! 1.Braindump2go |2016/09 New 70-534 Exam Dumps (PDF & VCE) 166Q&As Download:
<http://www.braindump2go.com/70-534.html> 2.Braindump2go |2016/09 New 70-534 Exam Questions & Answers:
<https://drive.google.com/folderview?id=0B75b5xYLjSSNfk01MGYzRmpvT1BUWUFIZTlaMWdqZms2N1EtVVVzVFo5VzJ4TDV2cERGeWc&usp=sharing>