

Braindump2go Promise You Pass New Exam 70-533 One Time Just Using 70-533 Latest Released Exam Questions (11-20)

Microsoft Official Exam Center New Released 70-533 Dumps Questions, Many New Questions added into it! Braindump2go Offer Free Sample Questions and Answers for Download Now! Visit Our Webiste, get the new updated Questions then pass Microsoft 70-533 at the first try! Vendor: MicrosoftExam Code: 70-533Exam Name: Implementing Microsoft Azure Infrastructure SolutionsKeywords: 70-533 Exam Dumps,70-533 Practice Tests,70-533 Practice Exams,70-533 Exam Questions,70-533 PDF,70-533 VCE Free,70-533 Book,70-533 E-Book,70-533 Study Guide,70-533 Braindump,70-533 Prep Guide

Compared Before Buyi

Pass4sure	1
89 Q&As – Practice	112 Q
\$124.99	\$99.99
No Discount	Coup

QUESTION 11 You publish an application named MyApp to Azure Active Directory (Azure AD). You grant access to the web APIs through OAuth 2.0. MyApp is generating numerous user consent prompts. You need to reduce the amount of user consent prompts. What should you do? A. Enable Multi-resource refresh tokens. B. Enable WS-federation access tokens. C. Configure the Open Web Interface for .NET. D. Configure SAML 2.0. Answer: A Explanation: When using the Authorization Code Grant Flow, you can configure the client to call multiple resources. Typically, this would require a call to the authorization endpoint for each target service. To avoid multiple calls and multiple user consent prompts, and reduce the number of refresh tokens the client needs to cache, Azure Active Directory (Azure AD) has implemented multi-resource refresh tokens. This feature allows you to use a single refresh token to request access tokens for multiple resources.

QUESTION 12 Your company network includes users in multiple directories. You plan to publish a software-as-a-service application named SaasApp1 to Azure Active Directory. You need to ensure that all users can access SaasApp1. What should you do? A. Configure the Federation Metadata URL. B. Register the application as a web application. C. Configure the application as a multi-tenant. D. Register the application as a native client application. Answer: C Explanation: * When you get deeper into using Windows Azure Active Directory, you'll run into new terminology. For instance, is called "directory" is also referred to as a Windows Azure AD Tenant or simply as "tenant." This stems from the fact that WAAD (Windows Azure Active Directory) is a shared service for many clients. In this service, every client gets its own separate space for which the client is the tenant. In the case of WAAD this space is a directory. This might be a little confusing, because you can create multiple directories, in WAAD terminology multiple tenants, even though you are a single client. * Multitenant Applications in Azure A multitenant application is a shared resource that allows separate users, or "tenants," to view the application as though it was their own. A typical scenario that lends itself to a multitenant application is one in which all users of the application may wish to customize the user experience but otherwise have the same basic business requirements. Examples of large multitenant applications are Office 365, Outlook.com, and visualstudio.com.

<http://msdn.microsoft.com/en-us/library/azure/dn151789.aspx> QUESTION 13 Drag and Drop Question You administer an Azure SQL database named contosodb that is running in Standard/SI tier. The database is in a server named server1 that is a production environment. You also administer a database server named server2 that is a test environment. Both database servers are in the same subscription and the same region but are on different physical clusters. You need to copy contosodb to the test environment. Which three steps should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Action	Answer Area
Use DB copy to create a copy of contosodb in server2 named contosodb.	
Set Export Status to Automatic for contosodb in server1.	
Use DB copy to create a copy of contosodb in server1 named contosodbtmp.	
Scale contosodb in server2 to Standard/SI.	
Import the BACPAC file to server2 as contosodb.	
Export contosodbtmp in server1 to a BACPAC file in Azure Blob storage.	
Rename contosodbtmp to contosodb in server1.	
Use Active Geo-Replication and replicate contosodb to server2.	

Answer:

Action	Answer Area
Use DB copy to create a copy of contosodb in server2 named contosodb.	Use DB copy to create a copy of contosodb in server1 named contosodbtmp.
Set Export Status to Automatic for contosodb in server1.	
Use DB copy to create a copy of contosodb in server1 named contosodbtmp.	Export contosodbtmp in server1 to a BACPAC file in Azure Blob storage.
Scale contosodb in server2 to Standard/S.	
Import the BACPAC file to server2 as contosodb.	Import the BACPAC file to server2 as contosodb.
Export contosodbtmp in server1 to a BACPAC file in Azure Blob storage.	
Rename contosodbtmp to contosodb in server1.	
Use Active Geo-Replication and replicate contosodb to server2.	

QUESTION 14 You are migrating a local virtual machine (VM) to an Azure VM. You upload the virtual hard disk (VHD) file to Azure Blob storage as a Block Blob. You need to change the Block Blob to a page blob. What should you do? A. Delete the Block Blob and re-upload the VHD as a page blob. B. Update the type of the blob programmatically by using the Azure Storage .NET SDK. C. Update the metadata of the current blob and set the Blob-Type key to Page. D. Create a new empty page blob and use the Azure Blob Copy Power Shell cmdlet to copy the current data to the new blob. Answer: A Explanation: * To copy the data files to Windows Azure Storage by using one of the following methods: AzCopy Tool, Put Blob (REST API) and Put Page (REST API), or Windows Azure Storage Client Library for .NET or a third-party storage explorer tool. Important: When using this new enhancement, always make sure that you create a page blob not a block blob. * Azure has two main files storage format: Page blob: mainly used for vhd's (CloudPageBlob) Block Blob: for other files (CloudBlockBlob)

<http://msdn.microsoft.com/en-us/library/dn466429.aspx> QUESTION 15 You administer a Microsoft Azure SQL Database data base in the US Central region named contosodb. Contosodb runs on a Standard tier within the SI performance level. You have multiple business-critical applications that use contosodb. You need to ensure that you can bring contosodb back online in the event of a natural disaster in the US Central region. You want to achieve this goal with the least amount of downtime. Which two actions should you perform? Each correct answer presents part of the solution. A. Upgrade to S2 performance level. B. Use active geo-replication. C. Use automated Export. D. Upgrade to Premium tier. E. Use point in time restore. F. Downgrade to Basic tier. Answer: B Explanation: B: The Active Geo-Replication feature implements a mechanism to provide database redundancy within the same Microsoft Azure region or in different regions (geo- redundancy). One of the primary benefits of Active Geo-Replication is that it provides a database-level disaster recovery solution. Using Active Geo-Replication, you can configure a user database in the Premium service tier to replicate transactions to databases on different Microsoft Azure SQL Database servers within the same or different regions. Cross-region redundancy enables applications to recover from a permanent loss of a datacenter caused by natural disasters, catastrophic human errors, or malicious acts. D: Active Geo-Replication is available for databases in the Premium service tier only. <http://msdn.microsoft.com/en-us/library/azure/dn741339.aspx> QUESTION 16 Drag and Drop Question

You manage an application deployed to a cloud service that utilizes an Azure Storage account. The cloud service currently uses the primary access key. Security policy requires that all shared access keys are changed without causing application downtime. Which three steps should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Action	Answer Area
Update the cloud service configuration with the primary access key.	
Regenerate the primary access key.	
Regenerate the secondary access key.	
Update the cloud service configuration with the secondary access key.	

Answer:

Action	Answer Area
Update the cloud service configuration with the primary access key.	Update the cloud service configuration with the secondary access key.
Regenerate the primary access key.	Regenerate the primary access key.
Regenerate the secondary access key.	
Update the cloud service configuration with the secondary access key.	Update the cloud service configuration with the primary access key.

QUESTION 17 You administer a Microsoft Azure SQL Database database in the US Central region named contosodb. Contosodb runs on a Standard tier within the SI performance level. You have multiple business-critical applications that use contosodb. You need to ensure that you can bring contosodb back online in the event of a natural disaster in the US Central region. You want to achieve this goal with the least amount of downtime. Which two actions should you perform? Each correct answer presents part of the solution. A. Upgrade to S2 performance level. B. Use active geo-replication. C. Use automated Export. D. Upgrade to Premium tier. E. Use point in time restore. F. Downgrade to Basic tier. Answer: B D Explanation: B: The Active Geo-Replication feature implements a mechanism to provide database redundancy within the same Microsoft Azure region or in different regions (geo-redundancy). One of the primary benefits of Active Geo-Replication is that it provides a database-level disaster recovery solution. Using Active Geo-Replication, you can configure a user database in the Premium service tier to replicate transactions to databases on different Microsoft Azure SQL Database servers within the same or different regions. Cross-region redundancy enables applications to recover from a permanent loss of a datacenter caused by natural disasters, catastrophic human errors, or malicious acts. D: Active Geo-Replication is available for databases in the Premium service tier only.

<http://msdn.microsoft.com/en-us/library/azure/dn741339.aspx> QUESTION 18 You manage two datacenters in different geographic regions and one branch office. You plan to implement a geo-redundant backup solution. You need to ensure that each datacenter is a cold site for the other. You create a recovery vault. What should you do next? A. Install the provider. B. Upload a certificate to the vault. C. Generate a vault key. D. Set all virtual machines to DHCP. E. Prepare System Center Virtual Machine Manager (SCVMM) servers. F. Create mappings between the virtual machine (VM) networks. Answer: C Explanation: Within the Azure Portal screen, scroll down to Recovery Services (on the left menu), and click on "Create a New Vault" (this is where your VMs will be replicated to) which will bring up a Data Services / Recovery Services / Site Recovery Vault option, select Quick Create For the name of the Vault, give it something you'd remember, in my case, I'll call it RandsVault, and I'll choose the Region West US since I'm in the Western United States, then click Create Vault Once the Vault has been created, click on the Right Arrow next to the name of your vault. Under Setup Recovery, choose "Between an on-premise site and Microsoft Azure" so that you are telling the configuration settings that you are going to be replicating between your on-premise datacenter and Azure in the cloud. You will now see a list of things you need to do which the first thing is to create a key exchange of certificates between Microsoft Azure and your VMM server.

QUESTION 19 You manage a collection of large video files that is stored in an Azure Storage account. A user wants access to one of your video files within the next seven days. You need to allow the user access only to the video file, and then revoke access once the user no longer needs it. What should you do? A. Give the user the secondary key for the storage account. Once the user is done with the file, regenerate the secondary key. B. Create an Ad-Hoc Shared Access Signature for the Blob resource. Set the Shared Access Signature to expire in seven days. C. Create an access policy on the container. Give the external user a Shared Access Signature for the blob by using the policy. Once the user is done with the file, delete the policy. D. Create an access policy on the blob. Give the external user access by using the policy. Once the user is done with the file, delete the policy. Answer: C Explanation: See 3) below. By default, only the owner of the storage account may access blobs, tables, and queues within that account. If your service or application needs to make these resources available to other clients without sharing your access key, you have the following options for permitting access: 1. You can set a container's permissions to permit anonymous read access to the container and its blobs. This is not allowed for tables or queues. 2. You can expose a resource via a shared access signature, which enables you to delegate restricted access to a container, blob, table or queue resource by specifying the interval for which the resources are available and the permissions that a client will have to it. 3. You can use a stored access policy to manage shared access signatures for a container or its blobs, for a queue, or for a table. The stored access policy gives you an additional measure of control over your shared access signatures and also provides a straightforward means to revoke them. QUESTION 20 You administer an Azure Storage account named contoso storage. The account has queue containers with logging enabled. You need to view all log

files generated during the month of July 2014. Which URL should you use to access the list? A.

<http://contosostorage.queue.core.windows.net/Slogs?restype=container&comp=list&prefix=queue/2014/07B>.

<http://contosostorage.queue.core.windows.net/Sfiles?restype=container&comp=list&prefix=queue/2014/07C>.

<http://contosostorage.blob.core.windows.net/Sfiles?restype=container&comp=list&prefix=blob/2014/07D>.

<http://contosostorage.blob.core.windows.net/Slogs?restype=container&comp=list&prefix=blob/2014/07> Answer: A Explanation:

<http://msdn.microsoft.com/library/azure/hh343262.aspx> Braindump2go New Released Premium 70-533 Exam Dumps Guarantee

You a 100% Exam Success Or We Promise Full Money Back! Download Microsoft 70-533 Exam Dumps Full Version From

Braindump2go Instantly!

Compared Before Buying Microsoft 70-533 PDF & VCE!		
Pass4sure	Braindump2go	TestKing
	100% Pass OR Money Back	
89 Q&As – Practice	112 Q&As – Real Questions	50 Q&As – Practice
\$124.99	\$99.99	\$124.99
No Discount	Coupon Code: BDN2014	No Discount

<http://www.braindump2go.com/70-533.html>